

Energy Consumption and Greenhouse Gas Emissions Reporting - for 2014																															
Press TAB to move to input areas. Press F2 to confirm consecutive 12-mth period (mth-yr to mth-yr)																															
Sept/2014 - Aug/2015																															
Sector School Board																															
Agency Sub-sector School Board																															
Organization Name Durham District School Board Please fill in the mandatory fields indicated in red, in addition to submitting data on your energy usage:																															
Operation Name	Operation Type	Address	City	Postal Code	Total Floor Area	Unit	Avg hrs/wk	Swimming Pool (Yes/No)	Number of Portables	Energy Type and Amount Purchased and Consumed in Natural Units																		Total (calculated in webform)		Building / Operation Identifier	Comments
										Electricity		Natural Gas		Fuel Oil 1 & 2		Fuel Oil 4 & 6		Propane		Coal		Wood		District Heating		District Cooling		GHG Emissions (kg)	Energy Intensity (kWh/sqft)		
										Quantity	Unit	Quantity	Unit	Quantity	Unit	Quantity	Unit	Quantity	Unit	Quantity	Unit	Quantity	Unit	Quantity	Unit	Renewable?	If Yes, enter Emission Factor				
Rosebank Road P.S.	School	591 Rosebank Road	Pickering	L1W 2N6	20,239.35	Square feet	80	No	2	79,336.48	kWh	19,514.71	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00
S A Cawker P.S.	School	16200 Old Simcoe Road	Port Perry	L9L 1P2	48,714.18	Square feet	80	No	3	246,664.62	kWh	37,505.38	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00
Safe Schools	School	1400 Bayly Street	Pickering	L1W 3R2	1,600.00	Square feet	80	No	0	163,836.10	kWh	25,664.50	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00
Safe Schools & Return Ticket	School	1160 Simcoe St S	Oshawa	L1H 5L8	800.00	Square feet	80	No	0	20,862.24	kWh	8,200.50	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00
Scott Central P.S.	School	421 Regional Road #11	Sandford	LOC 1E0	39,825.36	Square feet	80	No	2	223,696.28	kWh	0.00	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00
Seneca Trails P.S.	School	1915 Queensbury Drive	Oshawa	L1W 0S1	59,224.00	Square feet	80	No	0	291,170.98	kWh	46,572.96	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00
Sherwood P.S.	School	633 Ormond Drive	Oshawa	L1K 2W6	60,755.78	Square feet	80	No	8	322,562.34	kWh	24,164.88	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00
Sinclair S.S. & Education Centre	School	400 Taunton Road E	Whitby	L1R 2K6	4,599,475.00	Square feet	80	No	25	4,599,475.00	kWh	261,156.26	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00
Sir John A Macdonald P.S.	School	777 Balaton Ave	Pickering	L1W 1W7	46,381.66	Square feet	80	No	0	118,829.69	kWh	45,893.98	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00
Sir Samuel Steeple P.S.	School	65 Bakerville Street	Whitby	L1R 2S6	51,760.41	Square feet	80	No	0	369,673.33	kWh	36,086.28	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00
Sir William Stephenson P.S.	School	1125 Ahol Street	Whitby	L1N 4A6	51,203.92	Square feet	80	No	0	288,461.91	kWh	23,728.11	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00
Southwood Park P.S.	School	28 Lombard Cres.	Ajax	L1S 1M5	55,684.38	Square feet	80	No	1	403,887.48	kWh	12,632.88	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00
Stephen G Snywell P.S.	School	855 Roundley Drive	Oshawa	L1J 7V1	45,572.20	Square feet	80	No	0	178,798.68	kWh	35,241.31	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00
Sunderland P.S.	School	41 Abert Street	Sunderland	LOC 1H0	42,819.67	Square feet	80	No	1	197,589.29	kWh	56,897.50	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00
Sunset Heights P.S.	School	1130 Mohawk Street	Oshawa	L1G 4G7	37,147.33	Square feet	80	No	0	141,842.59	kWh	59,074.34	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00
Terry Fox P.S.	School	30 Kerrison Drive West	Ajax	L1Z 1K1	55,338.30	Square feet	80	No	4	316,481.93	kWh	26,559.29	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00
Thorsh Central P.S.	School	R.R. #2, E28775, Hwy	Beaverton	L0K 1A0	25,610.57	Square feet	80	No	1	86,918.77	kWh	0.00	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00
Uxbridge P.S.	School	64 Victoria St	Uxbridge	L9P 1H2	43,609.43	Square feet	80	No	2	167,915.78	kWh	47,724.97	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00
Uxbridge S.S.	School	127 Planks Lane	Uxbridge	L9P 1K5	201,354.41	Square feet	80	No	4	1,043,149.23	kWh	159,710.42	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00
Valley Farm P.S.	School	1815 Peppercorn Gate	Pickering	L1X 2K5	65,912.80	Square feet	80	No	0	295,019.88	kWh	62,535.13	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00
Valley View P.S.	School	3530 Westway Road N	Pickering	L0N 1H0	24,658.13	Square feet	80	No	6	122,999.82	kWh	34,576.36	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00
Vaughan Willard P.S.	School	1911 Dixie Road N	Pickering	L1V 1V4	45,849.41	Square feet	80	No	0	189,869.35	kWh	29,971.05	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00
Village Union P.S.	School	240 Simcoe Street South	Oshawa	L1H 4H4	89,284.48	Square feet	80	No	0	434,330.26	kWh	76,268.90	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00
Vimy Ridge P.S.	School	40 Telford Street East	Ajax	L1T 4Z4	294,943.32	Square feet	80	No	0	294,943.32	kWh	30,793.70	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00
Vincent Massey P.S.	School	211 Harmony Road North	Oshawa	L1G 8L4	35,871.76	Square feet	80	No	5	176,142.22	kWh	34,338.37	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00
Walter E Harris P.S.	School	495 Central Park Blvd N	Oshawa	L1G 6A2	39,404.49	Square feet	80	No	4	211,701.82	kWh	35,269.25	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00
Waverly P.S.	School	100 Waverly Street South	Oshawa	L1J 5V1	43,868.32	Square feet	80	No	0	175,540.82	kWh	46,482.42	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00
West Lynde P.S.	School	270 Michael Blvd.	Whitby	L1N 8B1	45,477.50	Square feet	80	No	0	256,129.94	kWh	49,332.08	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00
Weston P.S.	School	1775 Weston Drive	Pickering	L1V 6M9	49,264.23	Square feet	80	No	0	241,170.40	kWh	30,601.47	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00
Westney Heights P.S.	School	45 Brennan Road	Ajax	L1T 1X5	80,640.30	Square feet	80	No	0	209,674.04	kWh	34,018.81	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00
Whitby Shores P.S.	School	485 Whitby Shores Gre	Whitby	L1N 0G8	64,890.67	Square feet	80	No	1	281,810.57	kWh	31,300.55	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00
William Dunbar P.S.	School	1000 Genanna Road	Pickering	L1V 5E5	53,865.60	Square feet	80	No	6	287,059.71	kWh	32,926.47	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00
Williamsburg P.S.	School	29 Kirkland Place	Whitby	L1P 1W7	81,137.97	Square feet	80	No	5	341,281.21	kWh	19,498.08	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00
Winchester P.S.	School	70 Watford Street	Brooklin	L1M 1E8	67,907.27	Square feet	80	No	0	402,195.00	kWh	41,137.55	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00
Woodcrest P.S.	School	506 Woodcrest Avenue	Oshawa	L1J 2T8	109,002.7	Square feet	80	No	1	109,002.7	kWh	35,782.62	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00