Press TAB to move to input areas. Press U

Energy Consumption and Greenhouse Gas Emissions Reporting - for 2015

Confirm consecutive 12-mth period (mth-yr to mth-yr)	Sept/2015 - Aug/2016
Sector	**School Board**
Agency Sub-sector	**School Board**
Organization Name	Durham District School Board

Please fill in the mandatory fields indicated in red, in addition to submitting data on your energy usage.

Operation Name	Operation Type	Address	City	Postal Code	Total Floor Area	Unit	Avg hrs/wk	Swimming Pool (Yes/No)	Number of Portables	Electricity Quantity	Electricity Unit	Natural Gas Quantity	Natural Gas Unit	Fuel Oil 1 & 2 Quantity	Fuel Oil 1 & 2 Unit	Fuel Oil 4 & 6 Quantity	Fuel Oil 4 & 6 Unit	Propane Quantity	Propane Unit	Coal Quantity	Coal Unit	Wood Quantity	Wood Unit	District Heating Quantity	District Heating Unit	District Heating Renewable?	District Heating If Yes, enter Emission Factor	District Cooling Quantity	District Cooling Unit	District Cooling Renewable?	District Cooling If Yes, enter Emission Factor	GHG Emissions (Kg)	Energy Intensity (ekWh/sqft)	Building / Operation Identifier	Comments
										Energy Type and Amount Purchased and Consumed in Natural Units																						Total (calculated in webform)			
Stephenson Building	*School*	*2160 Yonge Street*	*Toronto*	*M7A 2G5*	*135,034.00*	*Square meters*	*70*	*Yes*	*10*	*2,181,065.00000*	*kWh*	*125,300.00000*	*Cubic meter*		*Litre*		*Litre*		*Litre*		*Metric Tonne*		*Metric Tonne*	*26.73000*	*Giga Joule*	*No*	*0.00000*	*20.50600*	*Giga Joule*	*No*	*0.00000*				*max. 255 characters*
ACEC - E A Lovell	School	120 Centre Street	Oshawa	L1H 4A3	49,610.86	Square feet	80	No	0	190,200.97	kWh	46,212.87	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Adelaide Mclaughlin P.S.	School	630 Stevenson Rd. N.	Oshawa	L1J 5P1	42,809.15	Square feet	80	No	0	145,113.55	kWh	54,110.54	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Ajax H.S.	School	105 Bayly Street East	Ajax	L1S 1P2	218,252.27	Square feet	80	No	1	1,072,233.00	kWh	206,345.17	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Alexander Graham Bell P.S.	School	25 Harkins Drive	Ajax	L1T 3T6	54,238.27	Square feet	80	No	1	295,105.43	kWh	29,476.44	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Altona Forest P.S.	School	405 Woodsmere Cres.	Pickering	L1V 7A3	49,624.85	Square feet	80	No	0	281,727.71	kWh	28,996.95	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Anderson CVI	School	400 Anderson Street	Whitby	L1N 3V6	154,037.94	Square feet	80	No	6	739,936.36	kWh	154,442.35	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Applecroft P.S.	School	55 Coles Ave	Ajax	L1T 3H5	39,473.41	Square feet	80	No	1	165,284.00	kWh	33,669.52	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Bayview Heights PS.	School	1400 Garvolin Avenue	Pickering	L1W 1J6	48,841.65	Square feet	80	No	0	208,910.73	kWh	34,168.33	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Beau Valley P.S.	School	230 Marigold Avenue	Oshawa	L1G 3G3	34,496.13	Square feet	80	No	3	130,735.48	kWh	24,742.06	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Beaverton P.S.	School	270 King Street West	Beaverton	L0K 1A0	29,571.12	Square feet	80	No	3	137,025.59	kWh	35,544.46	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Bellwood P.S.	School	30 Bellwood Drive	Whitby	L1N 8M4	42,345.44	Square feet	80	No	2	186,078.52	kWh	20,049.91	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Blair Ridge P.S.	School	100 Blackfriar Avenue	Brooklin	L1M 0E8	57,658.93	Square feet	80	No	5	413,231.67	kWh	18,843.36	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Bobby Orr P.S.	School	7 Waterloo Street	Oshawa	L1H 8V9	50,822.88	Square feet	80	No	0	275,306.86	kWh	16,494.51	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Bolton C Falby P.S.	School	80 Falby Court	Ajax	L1S 1N4	116,291.14	Square feet	80	No	0	690,477.95	kWh	98,567.50	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Brock H.S.	School	R.R. #1 C1590 Concess	Cannington	L0E 1E0	93,519.00	Square feet	80	No	0	393,744.83	kWh	110,741.82	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Brooklin S.S.	School	20 Carnwith Dr. W.	Brooklin	L1M 0K7	173,204.66	Square feet	50	No	0	777,263.45	kWh	85,059.52	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Brooklin Village P.S.	School	25 Selkirk Drive	Brooklin	L1M 2L5	61,706.16	Square feet	80	No	0	353,912.81	kWh	27,180.82	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
C E Broughton P.S.	School	80 Crawforth Street	Whitby	L1N 9L6	47,418.47	Square feet	80	No	0	296,320.84	kWh	28,245.87	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Cadarackque P.S.	School	15 Miles Drive	Ajax	L1Z 1C7	62,884.89	Square feet	80	No	3	320,677.69	kWh	28,560.41	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Captain Michael Vandenbos P.S.	School	3121 Country Lane	Whitby	L1P 1N3	60,935.14	Square feet	80	No	0	312,646.63	kWh	27,416.46	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Carruthers Creek P.S.	School	1 Greenhalf Drive	Ajax	L1S 7N6	73,283.46	Square feet	80	No	0	376,998.29	kWh	34,313.50	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Cartwright Central P.S.	School	10 Alexander Street	Blackstock	L0B 1B0	46,243.59	Square feet	80	No	0	207,307.17	kWh	45,190.45	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Cartwright H.S. - closed	School	14220 Old Scugog Rd.	Blackstock	L0B 1B0	8,774.74	Square feet	80	No	0	0.00	kWh	0.00	Cubic Meter	17,566.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Chris Hadfield P.S.	School	160 Carnwith Drive We	Whitby	L1M 0A5	59,930.21	Square feet	80	No	6	405,750.59	kWh	28,297.95	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Clara Hughes P.S.	School	610 Taylor Avenue	Oshawa	L1H 2E7	59,782.76	Square feet	80	No	1	376,287.00	kWh	32,969.17	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Claremont P.S.	School	1675 Central Street	Claremont	L1Y 1A8	24,987.34	Square feet	80	No	0	99,319.87	kWh	35,556.37	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
College Hill P.S.	School	530 Laval Street	Oshawa	L1J 6R2	30,534.48	Square feet	80	No	2	114,434.48	kWh	33,830.53	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Colonel J E Farewell P.S.	School	810 McQuay Blvd.	Whitby	L1P 1J1	49,702.35	Square feet	80	No	0	258,842.67	kWh	27,634.84	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Coronation P.S.	School	441 Adelaide Avenue E	Oshawa	L1G 2A4	41,146.66	Square feet	80	No	3	210,981.09	kWh	39,827.44	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
da Vinci P.S.	School	61 Williamson Drive Ea	Ajax	L1T 0A9	59,149.00	Square feet	80	No	10	498,967.00	kWh	26,297.22	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
DASE - Oshawa (Pine) Westmount	School	421 Pine Avenue	Oshawa	L1J 2J1	21,182.30	Square feet	80	No	0	71,022.93	kWh	40,551.27	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
David Bouchard PS	School	460 Wilson Road	Oshawa	L1H 6C9	67,414.37	Square feet	80	No	0	415,175.90	kWh	29,923.38	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Donald A. Wilson S.S.	School	681 Rossland Road W.	Whitby	L1P 1Y1	176,121.53	Square feet	80	No	0	1,033,388.70	kWh	56,757.22	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Dr F J Donevan CI - SOLD	School	250 Harmony Road S	Oshawa	L1H 6T9	96,225.85	Square feet	80	No	0	155,703.63	kWh	148,250.60	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Dr Robert Thornton P.S.	School	101 Hazelwood Drive	Whitby	L1N 3L4	42,574.49	Square feet	80	No	0	149,004.00	kWh	45,519.47	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Dr Roberta Bondar P.S.	School	25 Sullivan Drive	Ajax	L1T 3L3	50,369.72	Square feet	80	No	0	244,739.36	kWh	28,889.49	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Dr S J Phillips P.S.	School	625 Simcoe Street N.	Oshawa	L1G 4V5	47,188.78	Square feet	80	No	9	330,730.75	kWh	54,036.95	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Dr. CF Cannon P.S.	School	1196 Cedar Street	Oshawa	L1J 3S2	59,230.57	Square feet	80	No	0	264,032.84	kWh	31,601.55	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Duffin's Bay P.S.	School	66 Pittman Cres	Ajax	L1S 3G4	40,789.84	Square feet	80	No	0	212,979.49	kWh	7,668.68	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Duffins Creek Conservation Area	Other	2500 Concession 7	Pickering	L0C 1A0	864.00	Square feet	80	No	0	22,703.32	kWh	0.00	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Dunbarton HS	School	655 Sheppard Avenue	Pickering	L1V 1G1	207,025.51	Square feet	80	Yes	1	1,190,064.84	kWh	206,310.74	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Dunbarton S.S. (auxiliary campus, form	School	655 Sheppard Avenue	Pickering	L1V 1G1	39,189.24	Square feet	80	No	0	127,958.71	kWh	38,187.32	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Durham Forest	Other	3821 Concession Road	Uxbridge	L9P 1R4	5,166.00	Square feet	80	No	0	121,738.08	kWh	0.00	Cubic Meter	0.00	Litre	540.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Eagle Ridge P.S.	School	425 Delaney Drive	Ajax	L1T 4N1	56,583.16	Square feet	80	No	2	276,307.10	kWh	18,551.58	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Earl A Fairman P.S.	School	620 Walnut Street	Whitby	L1N 2W8	23,659.07	Square feet	80	No	0	91,370.87	kWh	35,443.12	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Eastdale CVI	School	265 Harmony Road N.	Oshawa	L1G 6L4	175,855.24	Square feet	80	No	8	750,604.00	kWh	151,349.36	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Elizabeth B Phin P.S.	School	1500 Rougemont Drive	Pickering	L1V 1N1	43,549.60	Square feet	80	No	0	239,282.90	kWh	15,995.72	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Epsom P.S.	School	16051 Marsh Hill Road	Port Perry	L9L 1Y6	10,057.25	Square feet	80	No	0	33,724.00	kWh	0.00	Cubic Meter	12,481.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Fairport Beach P.S.	School	754 Oklahoma Drive	Pickering	L1W 2H5	25,553.52	Square feet	80	No	0	94,074.84	kWh	26,570.84	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Fallingbrook P.S.	School	155 Fallingbrook St.	Whitby	L1R 2G2	48,503.25	Square feet	80	No	0	271,703.20	kWh	22,935.31	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Florence M. Heard P.S. - CLOSED	School	100 Garden St	Whitby	L1N 3W2	20,194.17	Square feet	50	No	0	13,012.39	kWh	17,096.24	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Frenchman's Bay P.S.	School	920 Oklahoma Drive	Pickering	L1W 2H7	55,758.13	Square feet	80	No	0	204,374.75	kWh	54,668.57	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
G L Roberts CVI	School	399 Chaleur Avenue	Oshawa	L1J 1G5	141,721.94	Square feet	80	No	0	717,281.00	kWh	88,788.28	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Gandatsetiagon P.S.	School	1868 Parkside Drive	Pickering	L1V 3R2	40,382.92	Square feet	80	No	1	196,519.07	kWh	23,918.89	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Gertrude Colpus P.S. - CLOSED	School	570 Shakespeare Aven	Oshawa	L1H 3H6	44,555.34	Square feet	80	No	7	50,704.51	kWh	41,154.88	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Glen Dhu P.S.	School	29 Fallingbrook Street	Whitby	L1R 1M7	60,497.48	Square feet	80	No	0	305,805.38	kWh	36,480.73	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Glen Street P.S.	School	929 Glen Street	Oshawa	L1J 3T9	54,718.34	Square feet	80	No	0	228,618.06	kWh	36,871.18	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Glengrove P.S.	School	1934 Glengrove Road	Pickering	L1V 1X2	37,319.55	Square feet	80	No	0	179,192.03	kWh	39,146.69	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Glenholme School	School	1356 Simcoe Street Sou	Oshawa	L1H 4M4	11,904.88	Square feet	80	No	0	74,669.03	kWh	20,601.29	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Goodwood P.S.	School	4340 Front Street	Goodwood	L0C 1A0	23,129.49	Square feet	80	No	0	107,428.40	kWh	22,138.23	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Gordon B Attersley P.S.	School	1110 Attersley Drive	Oshawa	L1K 1X8	56,118.72	Square feet	80	No	0	299,885.21	kWh	35,537.93	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Greenbank P.S.	School	1325 Cragg Road	Greenbank	L0C 1B0	18,010.16	Square feet	80	No	1	95,920.69	kWh	24,183.70	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Harmony Heights P.S.	School	590 Galahad Drive	Oshawa	L1K 1M2	38,750.08	Square feet	80	No	0	136,218.67	kWh	20,820.10	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Harmony P.S. - SOLD 2016	School	149 Harmony Road S.	Oshawa	L1H 6T4	22,144.05	Square feet	80	No	0	18,629.39	kWh	29,316.32	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Henry Street H.S.	School	600 Henry Street	Whitby	L1N 5C7	159,552.81	Square feet	80	No	4	643,016.47	kWh	117,203.46	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Highbush PS.	School	605 Stroud`s Lane	Pickering	L1V 5M5	65,804.64	Square feet	80	No	0	291,174.57	kWh	48,256.20	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Hillsdale P.S.	School	525 Oshawa Blvd. N.	Oshawa	L1G 5T6	22,556.85	Square feet	80	No	0	73,063.58	kWh	27,420.35	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Jack Miner P.S.	School	144 Whitburn Street	Whitby	L1R 2N1	60,628.72	Square feet	80	No	4	351,121.78	kWh	21,969.33	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
John Dryden PS	School	40 Rolling Acres Drive	Whitby	L1R 2A1	67,608.12	Square feet	80	No	0	407,240.00	kWh	45,111.60	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Joseph Gould P.S.	School	144 Planks Lane	Uxbridge	L9P 1M6	52,303.99	Square feet	80	No	0	204,984.00	kWh	38,064.87	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Julie Payette P.S.	School	300 Garden Street	Whitby	L1N 3W4	65,998.91	Square feet	80	No	11	468,439.22	kWh	34,094.99	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Kedron P.S.	School	1935 Ritson Road N.	Oshawa	L1H 7K5	38,800.61	Square feet	80	No	7	245,462.29	kWh	22,801.15	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Lakeside P.S.	School	4 Parkes Drive	Ajax	L1S 4X1	55,676.86	Square feet	80	No	0	70,354.03	kWh	30,180.18	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Lakewoods P.S.	School	323 Chaleur Avenue	Oshawa	L1J 1G5	57,445.91	Square feet	80	No	0	269,485.17	kWh	32,958.73	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Lester B Pearson P.S.	School	21 Coughlen Street	Ajax	L1T 2M9	45,796.56	Square feet	80	No	0	163,778.06	kWh	24,442.35	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Lincoln Alexander P.S.	School	95 Church Street North	Ajax	L1T 2W4	69,288.86	Square feet	80	No	2	293,303.62	kWh	34,805.19	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Lincoln Avenue P.S.	School	70 Lincoln Street	Ajax	L1S 6C9	40,982.75	Square feet	80	No	0	117,252.65

Press TAB to move to input areas. Press U	Energy Consumption and Greenhouse Gas Emissions Reporting - for 2015
Confirm consecutive 12-mth period (mth-yr to mth-yr)	Sept/2015 - Aug/2016
Sector	School Board
Agency Sub-sector	School Board
Organization Name	Durham District School Board

Please fill in the mandatory fields indicated in red, in addition to submitting data on your energy usage.

											Energy Type and Amount Purchased and Consumed in Natural Units																						Total (calculated in webform)			
											Electricity		Natural Gas		Fuel Oil 1 & 2		Fuel Oil 4 & 6		Propane		Coal		Wood		District Heating				District Cooling							
Operation Name	Operation Type	Address	City	Postal Code	Total Floor Area	Unit	Avg hrs/wk	Swimming Pool (Yes/No)	Number of Portables		Quantity	Unit	Quantity	Unit	Quantity	Unit	Quantity	Unit	Quantity	Unit	Quantity	Unit	Quantity	Unit	Quantity	Unit	Renewable?	If Yes, enter Emission Factor	Quantity	Unit	Renewable?	If Yes, enter Emission Factor	GHG Emissions (Kg)	Energy Intensity (ekWh/sqft)	Building / Operation Identifier	Comments
Terry Fox P.S.	School	30 Kerrison Drive West	Ajax	L1Z 1K1	55,338.30	Square feet	80	No	2		310,778.41	kWh	19,358.06	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Thorah Central P.S.	School	R.R. #2, B28775, Hwy.	Beaverton	L0K 1A0	25,610.57	Square feet	80	No	0		94,833.10	kWh	0.00	Cubic Meter	18,917.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Uxbridge P.S.	School	64 Victoria Drive	Uxbridge	L9P 1H2	41,305.43	Square feet	80	No	0		146,269.79	kWh	47,634.66	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Uxbridge S.S.	School	127 Planks Lane	Uxbridge	L9P 1K5	201,354.41	Square feet	80	No	3		1,066,829.00	kWh	143,477.77	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Valley Farm P.S.	School	1615 Pepperwood Gate	Pickering	L1X 2K5	65,912.80	Square feet	80	No	0		283,864.23	kWh	52,560.36	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Valley View P.S.	School	3530 Westney Road N.	Greenwood	L0H 1H0	24,858.13	Square feet	80	No	7		114,988.93	kWh	32,258.89	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Vaughan Willard P.S.	School	1911 Dixie Road N.	Pickering	L1V 1V4	37,360.13	Square feet	80	No	0		190,222.00	kWh	25,640.88	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Village Union P.S.	School	240 Simcoe Street Sout	Oshawa	L1H 4H4	89,850.66	Square feet	80	No	0		394,883.55	kWh	52,731.47	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Vimy Ridge P.S.	School	40 Telford Street East	Ajax	L1T 4Z4	58,813.47	Square feet	80	No	0		306,987.10	kWh	21,988.01	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Vincent Massey P.S.	School	211 Harmony Road Nor	Oshawa	L1G 6L4	43,734.84	Square feet	80	No	0		161,452.73	kWh	30,900.66	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Walter E Harris P.S.	School	495 Central Park Blvd N	Oshawa	L1G 6A2	42,671.37	Square feet	80	No	5		217,090.91	kWh	28,104.71	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Waverly P.S.	School	100 Waverly Street Sou	Oshawa	L1J 5V1	43,868.32	Square feet	80	No	0		201,460.65	kWh	44,231.93	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
West Lynde P.S.	School	270 Michael Blvd.	Whitby	L1N 6B1	52,459.96	Square feet	80	No	0		333,705.48	kWh	38,443.75	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Westcreek P.S.	School	1779 Westcreek Drive	Pickering	L1V 6M9	48,975.79	Square feet	80	No	0		236,617.89	kWh	27,786.00	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Westney Heights P.S.	School	45 Brennan Road	Ajax	L1T 1X5	58,536.30	Square feet	80	No	0		217,311.38	kWh	27,219.22	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Whitby Shores P.S.	School	485 Whitby Shores Gre	Whitby	L1N 0G8	64,690.67	Square feet	80	No	3		294,619.65	kWh	25,089.48	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
William Dunbar P.S.	School	1030 Glenanna Road	Pickering	L1V 5E5	53,665.60	Square feet	80	No	5		258,823.57	kWh	30,465.34	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Williamsburg P.S.	School	20 Kirkland Place	Whitby	L1P 1W7	61,137.97	Square feet	80	No	6		356,410.19	kWh	14,652.30	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Winchester P.S.	School	70 Watford Street	Brooklin	L1M 1E8	67,907.27	Square feet	80	No	0		391,599.07	kWh	32,042.53	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				
Woodcrest P.S.	School	506 Woodcrest Avenue	Oshawa	L1J 2T8	28,517.08	Square feet	80	No	1		111,514.22	kWh	29,541.46	Cubic Meter	0.00	Litre	0.00	Litre	0.00	Litre	0.00	Metric Tonne	0.00	Metric Tonne	0.00	Giga Joule	No	0.00	0.00	Giga Joule	No	0.00				