

Energy Consumption and Greenhouse Gas Emissions Reporting - for 2016

Confirm consecutive 12-mth period (mth-yr to mth-yr)

Sep/2016 - Aug/2017

Sector School Board

Agency Sub-sector School Board

Organization Name Durham District School Board

Organization Name	Organization Type	Address	City	Postal Code	Total Floor Area	Unit	Age (Years)	Swimming Pool	(Yes/No)	Number of Portables	Electricity Quantity	Electricity Unit	Natural Gas Quantity	Natural Gas Unit	Fuel Oil 1 & 2 Quantity	Fuel Oil 1 & 2 Unit	Fuel Oil 4 & 6 Quantity	Fuel Oil 4 & 6 Unit	Propane Quantity	Propane Unit	Coal Quantity	Coal Unit	Wood Quantity	Wood Unit	District Heating Quantity	District Heating Unit	Renewable	If Yes, enter Emission Factor	District Cooling Quantity	District Cooling Unit	Renewable	If Yes, enter Emission Factor	PHG Emissions (kg)	Energy Intensity (kWh/sqft)	Building / Operation Identifier	Comments	
Staples Building	School	2160 Towne Street	Toronto	M7R 2G5	235,034.00	Square Feet	70	Yes	0	2,181,065.0000	kWh	225,300.0000	Cubic Meter	0.0000	Litre	0.0000	Litre	0.0000	Litre	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Metric Tonne	26,73000	Giga Joule	No	0.0000	20,50600	Giga Joule	No	0.0000	0.0000	0.0000		max. 255 characters
ACCÉ - É A Lovell	School	120 Centre Street	Oshawa	L1H 4A3	45,862.1000	Square Feet	80	No	0	179,822.4000	kWh	45,862.1000	Cubic Meter	0.0000	Litre	0.0000	Litre	0.0000	Litre	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Giga Joule	No	0.0000	0.0000	Giga Joule	No	0.0000	0.0000	0.0000		
Adelaide McLaughlin P.S.	School	630 Stevenson Rd. N	Oshawa	L1H 5P1	42,809.15	Square Feet	80	No	0	136,785.5000	kWh	40,888.0200	Cubic Meter	0.0000	Litre	0.0000	Litre	0.0000	Litre	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Giga Joule	No	0.0000	0.0000	Giga Joule	No	0.0000	0.0000	0.0000		
Ajax H.S.	School	150 Bayly Street East	Ajax	L1S 1P2	218,252.27	Square Feet	80	No	0	1,062,193.0000	kWh	209,905.8300	Cubic Meter	0.0000	Litre	0.0000	Litre	0.0000	Litre	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Giga Joule	No	0.0000	0.0000	Giga Joule	No	0.0000	0.0000	0.0000		
Alexander Graham Bell P.S.	School	25 Woodbine Drive	Ajax	L1S 1T7	54,238.27	Square Feet	80	No	0	181,629.0000	kWh	30,629.2700	Cubic Meter	0.0000	Litre	0.0000	Litre	0.0000	Litre	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Giga Joule	No	0.0000	0.0000	Giga Joule	No	0.0000	0.0000	0.0000		
Altona Forest P.S.	School	405 Woodmere Cr	Pickering	L1V 7A3	49,624.85	Square Feet	80	No	0	275,167.9000	kWh	28,203.5000	Cubic Meter	0.0000	Litre	0.0000	Litre	0.0000	Litre	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Giga Joule	No	0.0000	0.0000	Giga Joule	No	0.0000	0.0000	0.0000		
Anderson Street P.S.	School	400 Anderson Street	Whitby	L1N 3V6	144,053.93	Square Feet	80	No	5	782,580.7600	kWh	157,431.0400	Cubic Meter	0.0000	Litre	0.0000	Litre	0.0000	Litre	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Giga Joule	No	0.0000	0.0000	Giga Joule	No	0.0000	0.0000	0.0000		
Appelroff P.S.	School	55 Coles Ave	Ajax	L1S 3H5	40,241.41	Square Feet	80	No	1	163,364.0000	kWh	35,275.6100	Cubic Meter	0.0000	Litre	0.0000	Litre	0.0000	Litre	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Giga Joule	No	0.0000	0.0000	Giga Joule	No	0.0000	0.0000	0.0000		
Bayview Heights P.S.	School	1400 Bayview Ave	Pickering	L1V 1L6	48,814.65	Square Feet	80	No	2	201,243.0000	kWh	34,004.4000	Cubic Meter	0.0000	Litre	0.0000	Litre	0.0000	Litre	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Giga Joule	No	0.0000	0.0000	Giga Joule	No	0.0000	0.0000	0.0000		
Bea Valley P.S.	School	200 Marigold Ave	Oshawa	L1G 3G3	28,352.13	Square Feet	80	No	2	261,997.0000	kWh	26,193.7000	Cubic Meter	0.0000	Litre	0.0000	Litre	0.0000	Litre	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Giga Joule	No	0.0000	0.0000	Giga Joule	No	0.0000	0.0000	0.0000		
Beaverton P.S.	School	270 King Street West	Beaverton	L0K 1A0	24,995.6500	Square Feet	80	No	3	144,995.6500	kWh	34,095.3100	Cubic Meter	0.0000	Litre	0.0000	Litre	0.0000	Litre	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Giga Joule	No	0.0000	0.0000	Giga Joule	No	0.0000	0.0000	0.0000		
Belwood P.S.	School	30 Bellwood Drive	Whitby	L1N 8M4	43,881.44	Square Feet	80	No	2	182,938.1000	kWh	17,118.3900	Cubic Meter	0.0000	Litre	0.0000	Litre	0.0000	Litre	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Giga Joule	No	0.0000	0.0000	Giga Joule	No	0.0000	0.0000	0.0000		
Blair Ridge P.S.	School	10 Blackbird Ave	Brooklin	L1M 6E8	51,498.33	Square Feet	80	No	5	405,129.6000	kWh	25,642.6500	Cubic Meter	0.0000	Litre	0.0000	Litre	0.0000	Litre	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Giga Joule	No	0.0000	0.0000	Giga Joule	No	0.0000	0.0000	0.0000		
Bobby Orr P.S.	School	7 Waterloo Street	Oshawa	L1H 8V9	50,822.88	Square Feet	80	No	0	252,658.9300	kWh	20,560.8800	Cubic Meter	0.0000	Litre	0.0000	Litre	0.0000	Litre	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Giga Joule	No	0.0000	0.0000	Giga Joule	No	0.0000	0.0000	0.0000		
Bolton C Falby P.S.	School	80 Falby Court	Ajax	L1S 1N4	111,784.28	Square Feet	80	No	0	666,017.6400	kWh	102,478.5000	Cubic Meter	0.0000	Litre	0.0000	Litre	0.0000	Litre	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Giga Joule	No	0.0000	0.0000	Giga Joule	No	0.0000	0.0000	0.0000		
Brook H.S.	School	R.R. #1 C1590 Concor	Carleton Place	L1C 1B0	93,519.01	Square Feet	80	No	0	373,400.0000	kWh	116,958.3600	Cubic Meter	0.0000	Litre	0.0000	Litre	0.0000	Litre	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Giga Joule	No	0.0000	0.0000	Giga Joule	No	0.0000	0.0000	0.0000		
Brooklin Park P.S.	School	160 Carleton Park Dr	Brooklin	L1M 0K7	172,204.65	Square Feet	80	No	0	345,520.3000	kWh	80,092.3800	Cubic Meter	0.0000	Litre	0.0000	Litre	0.0000	Litre	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Giga Joule	No	0.0000	0.0000	Giga Joule	No	0.0000	0.0000	0.0000		
Brooklin Village P.S.	School	25 Selkirk Drive	Brooklin	L1M 2L5	25,161.90	Square Feet	80	No	2	365,852.7400	kWh	29,103.9900	Cubic Meter	0.0000	Litre	0.0000	Litre	0.0000	Litre	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Giga Joule	No	0.0000	0.0000	Giga Joule	No	0.0000	0.0000	0.0000		
C E Broughton P.S.	School	80 Crawford Street	Whitby	L1N 9L6	47,418.47	Square Feet	80	No	0	275,290.5900	kWh	28,761.6500	Cubic Meter	0.0000	Litre	0.0000	Litre	0.0000	Litre	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Giga Joule	No	0.0000	0.0000	Giga Joule	No	0.0000	0.0000	0.0000		
Cadabraque P.S.	School	15 Miles Drive	Ajax	L1C 1C7	62,139.44	Square Feet	80	No	5	298,548.3000	kWh	31,339.6800	Cubic Meter	0.0000	Litre	0.0000	Litre	0.0000	Litre	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Giga Joule	No	0.0000	0.0000	Giga Joule	No	0.0000	0.0000	0.0000		
Captain Michael Vandenberg P.S.	School	1121 Country Lane	Whitby	L1S 1R3	60,895.14	Square Feet	80	No	0	345,520.3000	kWh	29,092.3800	Cubic Meter	0.0000	Litre	0.0000	Litre	0.0000	Litre	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Giga Joule	No	0.0000	0.0000	Giga Joule	No	0.0000	0.0000	0.0000		
Cartwright Creek P.S.	School	1 Greenhatch Drive	Ajax	L1S 7N6	37,928.85	Square Feet	80	No	0	372,938.7000	kWh	34,862.1600	Cubic Meter	0.0000	Litre	0.0000	Litre	0.0000	Litre	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Giga Joule	No	0.0000	0.0000	Giga Joule	No	0.0000	0.0000	0.0000		
Cartwright Central P.S.	School	10 Alexander Street	Blaxton	L0B 1B0	51,619.59	Square Feet	80	No	7	213,642.6600	kWh	44,489.6500	Cubic Meter	0.0000	Litre	0.0000	Litre	0.0000	Litre	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Giga Joule	No	0.0000	0.0000	Giga Joule	No	0.0000	0.0000	0.0000		
Cartwright H.S. - closed	School	14220 Dal Scook & Blaxton	L0B 1B0	0.0000	0.0000	Square Feet	80	No	0	0.0000	0.0000	0.0000	Cubic Meter	0.0000	Litre	0.0000	Litre	0.0000	Litre	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Giga Joule	No	0.0000	0.0000	Giga Joule	No	0.0000	0.0000	0.0000		
Chris Hedges	School	600 Carmichael Drive	Whitby	L1M 0A5	60,698.22	Square Feet	80	No	0	388,103.0000	kWh	23,529.4400	Cubic Meter	0.0000	Litre	0.0000	Litre	0.0000	Litre	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Giga Joule	No	0.0000	0.0000	Giga Joule	No	0.0000	0.0000	0.0000		
Clara Hughes P.S.	School	610 Taylor Avenue	Oshawa	L1H 2E7	63,622.76	Square Feet	80	No	5	371,010.6300	kWh	26,806.7800	Cubic Meter	0.0000	Litre	0.0000	Litre	0.0000	Litre	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Giga Joule	No	0.0000	0.0000	Giga Joule	No	0.0000	0.0000	0.0000		
Clarendon P.S.	School	1675 Central Street	Clarendon	L1J 1A8	24,987.34	Square Feet	80	No	0	157,887.0000	kWh	35,063.0000	Cubic Meter	0.0000	Litre	0.0000	Litre	0.0000	Litre	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Giga Joule	No	0.0000	0.0000	Giga Joule	No	0.0000	0.0000	0.0000		
College Hill P.S.	School	25226 Ave	Oshawa	L1H 6A2	53,236.49	Square Feet	80	No	3	122,864.0000	kWh	31,741.2000	Cubic Meter	0.0000	Litre	0.0000	Litre	0.0000	Litre	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Giga Joule	No	0.0000	0.0000	Giga Joule	No	0.0000	0.0000	0.0000		
Colored I F Forester P.S.	School	810 McCuey Blvd.	Whitby	L1P 111	49,702.35	Square Feet	80	No	0	256,192.0000	kWh	28,742.4000	Cubic Meter	0.0000	Litre	0.0000	Litre	0.0000	Litre	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Giga Joule	No	0.0000	0.0000	Giga Joule	No	0.0000	0.0000	0.0000		
Concession P.S.	School	441 Adelaide Avenue	Oshawa	L1G 2A4	21,904.0000	Square Feet	80	No	2	35,484.2000	kWh	39,548.4200	Cubic Meter	0.0000	Litre	0.0000	Litre	0.0000	Litre	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Metric Tonne	0.0000	Giga Joule	No	0.0000	0.0000	Giga Joule	No	0.0000	0.0000	0.0000		
da Vinci P.S.	School	61 Williamson Drive	Ajax	L1T 0A9	66,828.55	Square Feet	80	No	2	408,422.0000	kWh	27,031.2500	Cubic Meter	0.0000	Litre	0.00																					

Energy Consumption and Greenhouse Gas Emissions Reporting - for 2016

Confirm consecutive 12-mth period (mth-yr to mth-yr)	Sept/2016 - Aug/2017
Sector	School Board
Agency Sub-sector	School Board
Organization Name	Durham District School Board

Operation Name	Operation Type	Address	City	Postal Code	Total Floor Area	Unit	Avg Hrs/yr	Swimming Pool (Yes/No)	Number of Portables	Electricity Quantity	Electricity Unit	Natural Gas Quantity	Natural Gas Unit	Fuel Oil 1 & 2 Quantity	Fuel Oil 1 & 2 Unit	Fuel Oil 4 & 5 Quantity	Fuel Oil 4 & 5 Unit	Propane Quantity	Propane Unit	Coal Quantity	Coal Unit	Wood Quantity	Wood Unit	District Heating Quantity	District Heating Unit	Renewable?	If Yes, enter Emission Factor	District Cooling Quantity	District Cooling Unit	Renewable?	If Yes, enter Emission Factor	GHG Emissions (kg)	Energy Intensity (kWh/sqft)	Building / Operation Identifier	Comments
Forest View PS	School	285 Grandview St. S.	Oshawa	L1H 7K5	49,101.00	Square feet	80	No	0	198,696.00000	kWh	33,621.00000	Cubic Meter	0.00000	Litre	0.00000	Litre	0.00000	Litre	0.00000	Metric Tonne	0.00000	Metric Tonne	0.00000	Giga Joule	No	0.00000	0.00000	Giga Joule	No	0.00000				
Jeanne Sauve PS	School	950 Coldstream Dr.	Oshawa	L1H 0K1	51,989.69	Square feet	80	No	0	259,421.00000	kWh	38,042.00000	Cubic Meter	0.00000	Litre	0.00000	Litre	0.00000	Litre	0.00000	Metric Tonne	0.00000	Metric Tonne	0.00000	Giga Joule	No	0.00000	0.00000	Giga Joule	No	0.00000				
DASS Simcoe St. (Formerly Village)	School	240 Simcoe Street S.	Oshawa	L1H 4H4	89,850.66	Square feet	80	No	0	405,715.06000	kWh	62,264.52000	Cubic Meter	0.00000	Litre	0.00000	Litre	0.00000	Litre	0.00000	Metric Tonne	0.00000	Metric Tonne	0.00000	Giga Joule	No	0.00000	0.00000	Giga Joule	No	0.00000				
Athabasca Street PS - Closed	School	65 Athabasca Street	Oshawa	L1H 7H7	33,231.92	Square feet	80	No	4	48,148.81000	kWh	30,510.23000	Cubic Meter	0.00000	Litre	0.00000	Litre	0.00000	Litre	0.00000	Metric Tonne	0.00000	Metric Tonne	0.00000	Giga Joule	No	0.00000	0.00000	Giga Joule	No	0.00000				